

Exhibit B. Legal Descriptions
Tillage Temporary Dust Control Measure
(Formerly Moat and Row Areas)

Six parcels of State-owned sovereign land in the bed of Owens Lake in the County of Inyo, State of California, being more particularly described as follows:

Parcel D1 (Moat and Row Area T32-01)

BEGINNING at a point from whence Mineral Monument No. 58, a white marble stone monument with a metal plate cross stamped "MM #58", as said monument is shown on that map filed in Book 11, of Record of Surveys at page 7, Official Records of the County of Inyo, State of California, bears South 56°13'23" East, a distance of 19,843.86 feet; thence along the following described courses:

North 00°00'04" West, 921.76 feet;
North 56°00'00" East, 160.14 feet;
North 90°00'00" East, 214.00 feet;
North 34°00'00" West, 659.04 feet;
North 01°36'27" West, 581.88 feet;
North 02°39'10" West, 1,085.30 feet;
North 59°21'15" West, 564.61 feet;
South 39°10'00" West, 1,676.80 feet;
South 89°01'38" West, 707.86 feet;
South 31°28'10" East, 2,445.22 feet;
South 83°44'15" East, 157.42 feet;
South 83°56'06" East, 913.01 feet to the point of BEGINNING.

Parcel D2 (Moat and Row Area T37-01)

BEGINNING at a point from whence Mineral Monument No. 58, a white marble stone monument with a metal plate cross stamped "MM #58", as said monument is shown on that map filed in Book 11, of Record of Surveys at page 7, Official Records of the County of Inyo, State of California, bears South 79°29'01" East, a distance of 42,250.51 feet; thence along the following described courses:

North 01°18'25" West, 3,187.58 feet;
North 58°21'11" West, 350.46 feet;
North 87°49'03" West, 566.68 feet;
North 22°39'27" West, 514.64 feet;
North 88°56'25" West, 586.22 feet;
South 26°35'47" West, 517.06 feet;
South 16°53'46" West, 786.89 feet;
South 01°28'53" West, 916.31 feet;
South 35°38'36" East, 2,170.14 feet;
North 88°58'17" East, 941.09 feet to the point of BEGINNING.

TOGETHER WITH: Access Road to Parcel D2 (Moat and Row Area T37-01)

An access roadway in, on, over, under, and across State-owned sovereign land in the bed of Owens Lake, and in Section 26, Township 16 South, Range 36 East, Mt. Diablo Meridian, in the County of Inyo, State of California, within a strip of land 20.00 feet wide, lying 10.00 feet on each side of the following described center line:

BEGINNING at an angle point in the westerly boundary of Parcel D2, as described in Exhibit A, Legal Descriptions Owens Lake Dust Mitigation Program Phase VII PRC 8079.9, from whence Mineral Monument No. 58, a white marble stone monument with a metal plate cross stamped "MM #58", as said monument is shown on that map filed in Book 11, of Record of Surveys at page 7, Official Records of the County of Inyo, State of California, bears South 77°48'01" East, a distance of 44,757.14 feet; thence South 64°15'14" West, 712.91 feet to the beginning of a tangent curve, concave to the southeast, with a radius of 30.00 feet, and a central angle of 66°42'50"; thence southwesterly along the arc of said curve 34.93 feet; thence South 2°27'36" East, 373.59 feet to the beginning of a tangent curve, concave to the northeast, with a radius of 875.00 feet, and a central angle of 13°23'05"; thence southeasterly along the arc of said curve 204.40 feet; thence South 15°50'41" East, 91.04 feet to the beginning of a tangent curve, concave to the southwest, with a radius of 1100.00 feet, and a central angle of 21°13'32"; thence southwesterly along the arc of said curve 407.50 feet; thence South 5°22'52" West, 266.56 feet to the beginning of a tangent curve, concave to the northwest, with a radius of 700.00 feet, and a central angle of 13°10'48"; thence southwesterly along the arc of said curve 161.03 feet; thence

South 18°33'40" West, 208.95 feet to the beginning of a tangent curve, concave to the southeast, with a radius of 200.00 feet, and a central angle of 29°55'06"; thence southerly along the arc of said curve 104.43 feet; thence South 11°21'26" East, 495.51 feet to the beginning of a tangent curve, concave to the southwest, with a radius of 3000.00 feet, and a central angle of 4°39'23"; thence southeasterly along the arc of said curve 243.81 feet; thence South 6°42'03" East, 95.95 feet to the beginning of a tangent curve, concave to the northeast, with a radius of 1500.00 feet, and a central angle of 16°41'20"; thence southeasterly along the arc of said curve 436.91 feet; thence South 23°23'22" East, 73.80 feet to the beginning of a tangent curve, concave to the northeast, with a radius of 300.00 feet, and a central angle of 22°07'11"; thence southeasterly along the arc of said curve 115.82 feet; thence South 45°30'34" East, 43.23 feet to the beginning of a tangent curve, concave to the southwest, with a radius of 525.00 feet, and a central angle of 27°02'04"; thence southeasterly along the arc of said curve 247.72 feet; thence South 18°28'29" East, 421.36; thence South 13°53'51" East, 257.31 feet, more or less, to the Owens Lake Meander Line, and the END of this described center line.

The side lines of this described center line are to be lengthened or shortened to terminate at the westerly boundary of said Parcel D2, and said Meander Line.

Parcel D4 (Moat and Row Area T37-02)

BEGINNING at a point from whence Mineral Monument No. 58, a white marble stone monument with a metal plate cross stamped "MM #58", as said monument is shown on that map filed in Book 11, of Record of Surveys at page 7, Official Records of the County of Inyo, State of California, bears North 74°50'14" East, a distance of 41,465.61 feet; thence along the following described courses:

North 00°18'06" West, 2,614.28 feet;
North 39°50'13" East, 217.60 feet;
North 13°10'58" East, 525.07 feet;
North 02°13'40" West, 874.35 feet;
North 15°58'15" West, 216.87 feet;
North 07°13'23" West, 316.55 feet

South 79°04'18" East, 322.19 feet;
North 82°10'36" East, 609.15 feet;
North 28°04'58" East, 969.50 feet;
North 30°55'54" East, 469.11 feet;
North 23°04'23" East, 603.46 feet;
North 00°50'55" West, 760.41 feet;
North 28°23'34" West, 166.47 feet;
North 03°48'24" West, 333.40 feet;
North 30°06'07" West, 341.24 feet;
North 33°56'23" East, 270.98 feet;
North 06°23'18" West, 243.90 feet;
North 55°23'07" West, 214.95 feet;
South 89°51'34" West, 211.22 feet;
South 52°29'45" West, 267.82 feet;
South 07°14'09" West, 391.31 feet;
South 85°30'54" West, 647.01 feet;
North 54°06'37" West, 234.20 feet;
North 82°41'43" West, 322.67 feet;
South 74°33'11" West, 271.77 feet;
South 55°13'47" West, 782.12 feet;
South 33°16'48" West, 467.25 feet;
South 22°23'57" West, 572.51 feet;
South 17°22'05" East, 796.53 feet;
South 42°56'27" East, 870.06 feet;
South 79°06'12" West, 1,140.14 feet;
South 02°18'39" East, 786.67 feet;
South 24°51'33" West, 1,354.49 feet;
South 36°31'58" East, 901.38 feet;
South 04°28'04" East, 1,041.37 feet;
South 62°29'22" East, 457.09 feet;
South 12°26'53" East, 786.61 feet;
South 67°39'32" East, 1,093.65 feet to the point of
BEGINNING.

TOGETHER WITH: Access Road to Parcel D4 (Moat and Row Area T37-02)

An access roadway in, on, over, under, and across State-owned sovereign land in, and adjacent to the bed of Owens Lake, in Section 1, Township 17 South, Range 36 East, Mt. Diablo Meridian, in the County of Inyo, State of California, within a strip of land 20.00 feet wide, lying 10.00 feet on each side of the following described center line:

COMMENCING at a point in the northerly boundary of Parcel D4, as described in Exhibit A, Legal Descriptions Owens Lake Dust Mitigation Program Phase VII PRC 8079.9, from whence Mineral Monument No. 58, a white marble stone monument with a metal plate cross stamped "MM #58", as said monument is shown on that map filed in Book 11, of Record of Surveys at page 7, Official Records of the County of Inyo, State of California, bears North $86^{\circ}10'22''$ East, a distance of 40,372.50 feet; thence along said northerly boundary South $55^{\circ}13'47''$ West, 680.20 feet to the TRUE POINT OF BEGINNING; thence North $05^{\circ}20'11''$ West, 94.91 feet to the beginning of a tangent curve, concave to the southwest, with a radius of 30.00 feet, and a central angle of $112^{\circ}54'24''$; thence northwesterly along the arc of said curve 59.12 feet; thence South $61^{\circ}45'25''$ West, 917.25 feet; thence South $54^{\circ}23'24''$ West, 146.48 feet; thence South $75^{\circ}03'06''$ West, 78.85 feet; thence South $59^{\circ}34'33''$ West, 205.16 feet to the beginning of a tangent curve, concave to the southeast, with a radius of 150.00 feet, and a central angle of $39^{\circ}40'14''$; thence southwesterly along the arc of said curve 103.86 feet; thence South $19^{\circ}54'19''$ West, 170.49 feet to the beginning of a tangent curve, concave to the northwest, with a radius of 50.00 feet, and a central angle of $69^{\circ}29'31''$; thence southwesterly along the arc of said curve 60.64; thence South $89^{\circ}23'50''$ West, 338.97 feet to the beginning of a tangent curve, concave to the northeast, with a radius of 30.00 feet, and a central angle of $83^{\circ}00'53''$; thence northwesterly along the arc of said curve 43.47 feet; thence North $07^{\circ}35'17''$ West, 111.30 feet to the beginning of a tangent curve, concave to the southwest, with a radius of 275.00 feet, and a central angle of $27^{\circ}47'04''$; thence southwesterly along the arc of said curve 133.36 feet; thence North $35^{\circ}22'21''$ West, 106.21 feet; thence North $41^{\circ}06'13''$ West, 120.78 feet to the beginning of a tangent curve, concave to the south, with a radius of 50.00 feet, and a central angle of $87^{\circ}41'51''$; thence westerly along the arc of said curve 76.53 feet; thence South $51^{\circ}11'56''$ West, 147.73 feet; thence South $60^{\circ}23'59''$ West, 105.33 feet; thence South $70^{\circ}18'53''$ West, 121.75 feet; thence South $64^{\circ}54'02''$ West, 91.94 feet; thence South $76^{\circ}44'42''$ West, 93.74 feet; thence South $61^{\circ}43'09''$ West, 212.37 feet; thence North $89^{\circ}57'53''$ West, 302.67 feet, more or less, to the westerly line of the 200-foot-wide Southern Pacific Rail Road right-of-way as shown on Parcel Map No. 70, recorded in Book 1, page 46, Official Records of said County, and the END of this described center line.

The side lines of this described center line are to be extended or shortened so that this described strip of land wholly terminates contiguous with said Rail Road right-of-way, and said boundary of Parcel D4.

Portion of Parcel D11 (Moat and Row Area T12-01)

BEGINNING at a point from whence Mineral Monument No. 58, a white marble stone monument with a metal plate cross stamped "MM #58", as said monument is shown on that map filed in Book 11, of Record of Surveys at page 7, Official Records of the County of Inyo, State of California, bears North 21°15'03" East, a distance of 38,799.68 feet; thence along the following described courses:

South 12°09'20" West, 410.48 feet;
South 77°55'55" West, 240.65 feet;
South 11°58'29" East, 536.83 feet;
South 12°09'20" West, 931.15 feet;
South 18°52'08" East, 1,266.84 feet ;
South 47°14'45" East, 1,095.27 feet;
South 68°24'16" East, 1,560.27 feet;
North 09°41'22" West, 932.79 feet;
North 08°42'12" East, 1,475.80 feet;
North 09°43'54" West, 1,866.76 feet;
North 35°08'09" East, 143.76 feet;
North 88°08'36" West, 2,092.84 feet to the point of BEGINNING.

Portion of Parcel D14 (Moat and Row T1A-04)

BEGINNING at a point from whence Mineral Monument No. 58, a white marble stone monument with a metal plate cross stamped "MM #58", as said monument is shown on that map filed in Book 11, of Record of Surveys at page 7, Official Records of the County of Inyo, State of California, bears North 26°36'43" East, a distance of 47,071.74 feet; thence along the following described courses:

South 47°38'42" West, 772.98 feet;
South 52°55'57" West, 854.83 feet;
South 77°14'00" West, 164.04 feet;
North 83°34'24" West, 472.42 feet;
North 86°12'43" West, 1,326.39 feet;
South 54°07'42" West, 1,418.58 feet;
South 35°26'10" West, 2,009.33 feet;

North 74°04'06" West, 652.11 feet;
North 86°03'19" West, 743.20 feet;
South 55°42'30" West, 680.91 feet;
South 15°06'27" West, 1,870.39 feet;
South 08°10'34" East, 2,348.88 feet;
South 23°09'41" East, 598.62 feet;
South 35°46'42" East, 743.19 feet;
North 35°16'20" East, 6,600.40 feet;
South 54°42'18" East, 872.02 feet;
North 68°17'05" East, 2,416.31 feet;
North 35°07'45" East, 306.00 feet;
North 06°23'02" West, 576.66 feet;
North 06°39'47" East, 625.10 feet;
North 17°50'29" East, 1,087.74 feet;
North 35°16'06" East, 270.39 feet;
North 54°43'24" West, 620.60 feet to the point of BEGINNING.

Portion of Parcel D19 (Moat and Row or Shallow Flooding Area T1A-03)


BEGINNING at a point from whence Mineral Monument No. 58, a white marble stone monument with a metal plate cross stamped "MM #58", as said monument is shown on that map filed in Book 11, of Record of Surveys at page 7, Official Records of the County of Inyo, State of California, bears North 32°28'57" East, a distance of 62,053.79 feet; thence along the following described courses:

South 31°52'53" East, 3,235.32 feet;
North 00°32'20" East, 447.42 feet;
North 18°05'12" East, 1,317.48 feet;
North 63°55'29" East, 1,648.26 feet;
North 32°51'44" East, 1,185.89 feet;
North 26°32'53" East, 581.71 feet;
North 20°58'04" West, 1,261.67 feet;
North 11°27'16" West, 2,381.94 feet;
North 41°36'38" West, 1,090.21 feet;
North 65°32'52" West, 619.05 feet;
South 44°28'02" West, 446.82 feet;
South 22°15'54" East, 340.51 feet;
South 61°25'00" West, 2,371.53 feet;
South 68°20'00" West, 382.59 feet;

South 00°56'42" West, 875.61 feet;
South 57°01'27" East, 1,046.56 feet;
South 51°02'18" East, 670.72 feet;
South 07°45'16" East, 1,163.39 feet;
South 38°46'20" West, 736.08 feet;
South 69°59'41" West, 801.34 feet to the point of BEGINNING.

The Bearings used in this description are on the California Coordinate System, NAD83, (CCS83/92), Zone 4. The Coordinate values, in U.S. Survey Feet, of said Mineral Monument No. 58, also known as Triangulation Station "Keeler" are: Northing 2,064,076.37, Easting 6,890,187.91. All distances shown herein are grid distances in U.S. Survey Feet. To obtain ground surface distances, multiply the distances shown by 1.000228742.

END OF DESCRIPTION



Patrick R. Maddock
6-16-14