

MINUTE ITEM

This Calendar Item No. C10
was approved as Minute Item
No. C10 by the State Lands
Commission by a vote of 3
to 0 at its 3/27/90
meeting.

CALENDAR ITEM

C 10

A 68

S 36

03/27/90
PRC 7005
Fong

**EXTENSION OF CONSTRUCTION-LIMITING DATES
INDUSTRIAL LEASE RIGHT-OF-WAY USE**

APPLICANT: Pacific & Texas Pipeline and
Transportation Company
P. O. Box 10656
Phoenix, Arizona 85016

AREA, TYPE LAND AND LOCATION:
A 0.344-acre parcel of sovereign land in the
historic bed of the Colorado River, Riverside
County.

LAND USE: Right-of-way for a crude oil pipeline.

TERMS OF CURRENT LEASE:

Initial period: Twenty-five (25) years
beginning August 1, 1986.

Surety bond: \$5,000.

Public liability insurance: Combined single
limit coverage of \$2,000,000.

Consideration: \$252 per annum; five-year
rent review.

BASIS FOR CONSIDERATION:

Pursuant to 2 Cal. Code Regs. 2003.

PREREQUISITE CONDITIONS, FEES AND EXPENSES:

Filing fee and processing costs have been
received.

CALENDAR ITEM NO. 010 (CONT'D)

STATUTORY AND OTHER REFERENCES:

- A. P.R.C.: Div. 6, Parts 1 and 2; Div. 13.
- B. Cal. Code Regs.: Title 2, Div. 3;
Title 14, Div. 6.

AB 884: N/A.

OTHER PERTINENT INFORMATION:

1. An EIR/EIS was prepared and adopted for this project by the Los Angeles Harbor District. The State Lands Commission's staff has reviewed such document and believes that it complies with the requirements of CEQA.
2. This activity involves lands identified as possessing significant environmental values pursuant to P.R.C. 6370, et seq. and the project, as proposed, is consistent with its use classification.
3. At its meeting on September 25, 1986, the Commission approved a lease to Pacific & Texas Pipeline and Transportation Company for the construction of a crude oil pipeline across a small parcel of State-owned land within the historic bed of the Colorado River. The approved construction-limiting dates called for a beginning deadline of December 15, 1986 and a completed date of December 14, 1987.

Due to delays in other portions of their project, which extends from Los Angeles Harbor to Midland, Texas, the Lessee requested and received an extension of the construction completion date to December 14, 1988 at the March 26, 1987 Commission meeting.

The Lessee has requested a further extension of the construction-limiting dates due to ongoing delays in their project. Commission staff has reviewed the overall project status and recommends that

CALENDAR PAGE	80
MINUTE PAGE	392

CALENDAR ITEM NO. 7 (CONT'D)

the required deadline for beginning of construction be extended to August 1, 1990 and the completion date extended to August 1, 1991. All other terms and conditions of the approved lease remain unchanged.

EXHIBIT: A. Location Map.
 B. CEQA Findings.

IT IS RECOMMENDED THAT THE COMMISSION:

1. FIND THAT AN EIR/EIS WAS PREPARED AND ADOPTED FOR THIS PROJECT BY THE LOS ANGELES HARBOR DISTRICT AND THE BUREAU OF LAND MANAGEMENT, AND THAT THE COMMISSION HAS REVIEWED AND CONSIDERED THE INFORMATION CONTAINED THEREIN, AND HAS ADOPTED THE FINDINGS CONTAINED IN EXHIBIT B.
2. FIND THAT THIS ACTIVITY IS CONSISTENT WITH THE USE CLASSIFICATION DESIGNATED FOR THE LAND PURSUANT TO P.R.C. 6370, ET SEQ.
3. AUTHORIZE THE AMENDMENT OF INDUSTRIAL LEASE - RIGHT-OF-WAY USE, PRC 7005, TO PACIFIC AND TEXAS PIPELINE AND TRANSPORTATION COMPANY, TO EXTEND THE DATES FOR THE BEGINNING OF CONSTRUCTION TO AUGUST 1, 1990 AND THE COMPLETION OF CONSTRUCTION TO AUGUST 1, 1991 FOR THE CONSTRUCTION AND MAINTENANCE OF A 42-INCH-DIAMETER CRUDE OIL PIPELINE.

CALENDAR PAGE	81
MINUTE PAGE	393




EXHIBIT "A"
 PRC 7005



CALENDAR PAGE 82
 MINUTE PAGE 394

EXHIBIT "g"

PACIFIC TEXAS PIPELINE PROJECT
CEQA FINDINGS

The significant environmental impacts of the Pacific Texas Pipeline Company's (Pac-Tex) proposal for a crude oil pipeline from the Port of Los Angeles through California, Arizona, New Mexico and Texas to existing networks that service refineries in the U.S. gulf coast and the midwest, involving State Lands Commission jurisdiction, are discussed below.

Although the project involves a 1,030-mile long buried pipeline, the portion of the project under State Lands Commission jurisdiction covers only one-third acre in the historic bed of the Colorado River (lower Sonoran desert habitat). The impacts were identified in the "Final EIR/EIS for the proposed Pacific Texas Pipeline Project" certified by the Los Angeles Harbor Department acting as CEQA Lead Agency. The findings, mitigations and supporting facts presented below rely substantially on this document, but were updated where appropriate.

As a Responsible Agency, the State Lands Commission is authorized to require changes in the project, or require mitigations designed to lessen its environmental effects, by conditioning that part of the project which it must approve (Sections 15041(b) and 15096(g) and (h), Title 14, California Administrative Code).

Pursuant to Section 15091, CAC, the Commission, acting as a Responsible agency pursuant to CEQA, finds that for each significant environmental effect:

Changes or alterations have been required in, or incorporated into the project which avoid or substantially lessen the significant environmental effect as identified in the final EIR/EIS.

The discussion of the project's significant impacts and their proposed mitigations recommended for adoption by the Commission is presented under "resource" headings, with one "Finding" and "Facts Supporting Finding" category for each such heading.

A. Air Quality

1. IMPACT: Pollution caused by exhaust from heavy-duty construction equipment and fugitive dust from disturbed areas during construction.

MITIGATION: Use low-sulfur (0.05%), low-nitrogen diesel fuel in California for construction equipment and optimize the air-to-fuel ratios for each piece of equipment to minimize the formation of NO_x compounds. Have the construction contractor operate each piece of equipment at its optimum air-to-fuel ratio. Curtail construction activities during second-stage smog alerts. Use fugitive dust control measures during construction; have an on-site inspector assess the need for dust suppression, which includes water.

FINDING: The following constitutes changes or alterations required in or incorporated into the project, which avoid or substantially lessen the environmental effect as identified in the EIR/EIS: Diesel fuel use in construction equipment in California; optimize equipment air-to-fuel ratios; curtail activities during second stage smog alerts; use fugitive dust control measures; inspect for required dust suppression.

FACTS SUPPORTING FINDING:

The use of lower sulfur fuel in California would result in approximately a 75% reduction in sulfur emissions. The use of low-nitrogen fuel and optimized air-to-fuel ratios would result in a 30% to 40% emission reduction (SCAQMD, 1985).

Curtailment during smog alerts would provide a small decrease in precursor emissions on high-oxidant days.

Fugitive dust control measures would result in fugitive dust reduction of approximately 50% (EPA, 1977).

B. Geologic and Seismic Setting

1. IMPACT: Ground rupture potential at fault crossings, including the Whittier-Elsinore, San Jacinto and San Andreas faults.

MITIGATION: Mitigate potential spills at known faults by using mechanical design, with seismic detection instruments. This will transmit an alarm to the dispatcher to shut down the pipeline pending investigation. Special engineering considerations (e.g. zig-zag construction across the zone) will minimize deformation zone pipeline damage.

2. IMPACT: Potential pipeline damage from ground subsidence.

MITIGATION: Design pipeline to accommodate geologic hazards; include vibration monitoring system at crossings of known active faults.

FINDING: The following constitutes changes or alterations required in or incorporated into the project, which avoid or substantially lessen the environmental effect as identified in the EIR/EIS: Use of mechanical design and seismic detection instruments; design pipeline to accommodate geologic hazards.

FACTS SUPPORTING FINDING:

Mechanical design and detection would provide faster system shut down in the event of a spill caused by earthquake-induced pipeline rupture, and reduce the volume of spilled oil.

Special engineering considerations would reduce the potential for pipeline damage and spill volume at fault crossings.

Special design and construction of the pipeline will ensure that the pipeline will survive most geohazards.

C. Groundwater

1. IMPACT: A potential oil spill could contaminate sensitive groundwater basins.

MITIGATIONS: None

FINDING AND FACTS SUPPORTING FINDING:

There are no feasible means of protecting groundwater basins in the project area, in the event of a low probability oil spill. Attention must be directed, therefore, to preventive measures designed to preclude such occurrences.

D. Terrestrial Biology

1. IMPACT: Loss of palm oases, riparian habitat, oak woodlands, live oaks, soapberry tree groves, ironwood washes, and associated wildlife species.

MITIGATION:

Locate staging areas for stream crossings outside the riparian zone; minimize construction right-of-way (ROW) in riparian zones; on public lands, require a field survey by a qualified botanist where data indicates that sensitive plant species or communities may occur in the construction ROW; survey those watercourse crossings that occur on public lands; alter pipeline route or transplant plants; minimize construction grading and clearing by flagging the outer limits of the grading area; the U.S. Army Corps of Engineers (COE) would include special conditions in its Section 10/404 permit that would be applied to construction across those desert streams and washes listed in FEIR/EIS Appendix C.1. The measures are included in FEIR/EIS Appendix C.2.

2. IMPACT: Construction vehicle use off ROW affecting sensitive wildlife and plants/communities.

MITIGATION:

Prohibit vehicle operation off the ROW by construction workers, including construction work and employee access, except where specified by the landowner or land management agency.

3. IMPACT: Loss of individual desert tortoises and their habitat.

MITIGATION: Prohibit construction worker vehicle operation off the ROW; construct pipeline across crucial desert tortoise habitat in Chuckwalla Valley and in western Arizona between October and March when tortoises are hibernating; require a desert tortoise expert to be present during construction; remove any active desert tortoise from the construction ROW ahead of construction equipment, and move it to habitat within 100 yards of the capture site; carefully open burrows within the ROW using hand tools, and remove hibernating tortoises; remove tortoises unearthed by the trencher to an artificial burrow within 100 yards of the capture site; give injured tortoises to the Department of Fish and Game (DFG) in California; in Arizona, give injured tortoises to persons identified by the authorizing officer; provide adequate funds for costs involved in rehabilitating injured tortoises and returning them to within 100 yards of capture site; where the pipeline follows existing pipeline, use the existing ROW as part of the construction ROW and limit new disturbance to the area needed for trenching and stockpiling backfill.

FINDING: The following constitutes changes or alterations required in or incorporated into the project, which avoid or substantially lessen the environmental effect as identified in the EIR/EIS: Location of staging areas for stream crossings outside riparian zones; minimizing construction in riparian zones; requiring botanist's field survey on sensitive public lands; surveying watercourse crossings on public lands; alteration of pipeline routes or plant transplantation; flagging outer limits of grading area; COE 10/404 conditions applied to construction; prohibition of off-ROW construction vehicle operation; construction across crucial desert tortoise habitat restricted to October through March;

requirement that desert tortoise expert be present during construction; safe replacement of desert tortoise from ROW to habitat within 100 yards of capture site; placement of injured tortoises with California DFG or, if in Arizona, with personnel specified by authorizing officer; provision of sufficient funding to rehabilitate injured tortoises and return them to within 100 yards of capture site; limitation of new disturbance to the area needed for trenching and stockpiling backfill.

FACTS SUPPORTING FINDING:

Limiting vehicle use off the ROW would minimize the risk of impacting livestock, wildlife habitat, small mammals, reptiles, and important or sensitive vegetation in surrounding habitats. This measure is vital in desert tortoise habitat.

If construction were limited to periods of tortoise inactivity, tortoise deaths and injuries would be minimized; only tortoises hibernating directly in the ROW would be impacted. Removal of active tortoises from the construction area would ensure survival of these individuals. Relocation burrows could be successfully constructed with hand tools and plywood.

The total disturbed acres would be minimized by using the existing ROW (i.e., total area cleared, wildlife habitat lost, and area to be revegetated).